Reg. No. :



K22P 3319

IV Semester M.Sc. Degree (C.B.S.S. – Reg./Supple./Imp.) Examination, April 2022 (2018 Admission Onwards) MATHEMATICS MAT4C15 : Operator Theory

Time : 3 Hours

Max. Marks : 80

PART - A

Answer any four questions from this Part. Each question carries 4 marks.

- Let X be a normed space and A ∈ BL(X). Prove that A is invertible if and only if A is bounded below and surjective.
- 2. Let X and Y be normed spaces and F_1 and $F_2 \in BL(X, Y)$ and $k \in K$. Show that $(F_1 + F_2)' = F'_1 + F'_2$, $(kF_1)' = kF'_1$.
- Let X and Y be Banach spaces, F : X → Y is a compact map and R(F) is closed in Y. Prove that F is of finite rank.
- If X is an infinite dimensional normed space and A ∈ CL(X). Prove that 0 ∈ σ₁(A).
- 5. Let <u>H</u> be a Hilbert space. If each (A_n) is self adjoint operator in BL(H) and $||A_n A|| \rightarrow 0$, then prove that A is self adjoint.
- Prove that the adjoint of Hilbert Schmidt operator on a separable Hilbert space
 is Hilbert Schmidt operator. (4×4=16)

P.T.O.

K22P 3319

PART - B

Answer **any four** questions from this Part without omitting any Unit. **Each** question carries **16** marks.

UNIT-I

- 7. a) Let X be a normed space and $A \in BL(X)$ be of finite rank. Show that $\sigma_{a}(A) = \sigma_{a}(A) = \sigma(A)$.
 - b) Let X be a Banach space over K and A ∈ BL(X). Show that σ(A) is a compact subset of K.
- 8. a) Let X be a normed space and X' is separable, prove that X is separable.
 - b) Let $1 \le p \le \infty$ and $\frac{1}{p} + \frac{1}{q} = 1$. Show that the dual of Kⁿ with the norm $|| ||_p$ is linearly isomorphic to Kⁿ with the norm $|| ||_p$.
- a) Let X be a normed space and (x_n) be a sequence in X. Then prove that (x_n) is weak convergent in X if and only if
 - i) (x_) is a bounded sequence in X and
 - ii) there is some x ∈ X such that x'(x_n) → x'(x) for every x' in some subset of X' whose span is dense in X'.
 - b) Let (x') be a sequence in a normed space X. if
 - i) (x') is bounded and
 - ii) (x'_n(x)) is a Cauchy sequence in K for each x in a subset of X whose span is dense in X.

Then, prove that (x'_n) is weak* convergent in X'. Is the converse true ? Justify your answer.

UNIT-II

- a) Let X be a reflexive normed space. Prove that every closed subspace of X is reflexive.
 - b) Examine the reflexivity of $L^{p}([a, b]), 1 \le p \le \infty$.
- 11. a) When a normed space X is said to be uniformly convex ?
 - b) Let X be a Banach space which is uniformly convex in some equivalent norm. Then prove that X is reflexive. Is the converse true ? Justify your answer.

K22P 3319

- Let X be a normed space, Y be a Banach space and F ∈ BL(X, Y), then prove that
 - a) CL(X, Y) is a closed subspace of BL(X, Y).
 - b) $F \in CL(X, Y)$ if and only if $F' \in CL(Y', X')$.

UNIT – III

-3-

- 13. Let H be a Hilbert space and $A \in BL(H)$. Then prove the following,
 - a) A is injective if and only if R(A*) is dense in H.
 - b) The closure of R(A) equals Z(A^{*})¹.
 - c) R(A) = H if and only if A* is bounded below.
- 14. Let H be a Hilbert space and $A \in BL(H)$.
 - a) If A is normal, x_1 and x_2 are eigenvectors of A corresponding to distinct eigenvalues, then prove that $x_1 \perp x_2$.
 - b) Prove that every spectral value of A is an approximate eigenvalue of A.
 - c) Define the numerical range of A and show that it is bounded, but not closed.

15. Let A be compact operator on non-zero Hilbert space.

- a) Prove that non-zero approximate eigenvalue of A is an eigenvalue of A and the corresponding eigenspace is finite dimensional.
- b) If A is self adjoint, then prove that ||A|| or -||A|| is an eigenvalue of A.

 $(4 \times 16 = 64)$