## 

Reg. No. : .....

## K22U 0415

Name : .....

VI Semester B.Sc. Degree (CBCSS – OBE – Regular) Examination, April 2022 (2019 Admission) CORE COURSE IN MATHEMATICS 6B12MAT : Numerical Methods, Fourier Series and Partial Differential Equations

LIBRARY

AND SCIEN

Time : 3 Hours

Max. Marks: 48

## PART – A

Answer any four questions. Each question carries one mark.

- 1. Write the Lagrange interpolation formula.
- 2. Solve the equation  $y = x + y^2$  subject to the condition y = 1 when x = 0 using Picard's method.
- 3. Define a periodic function and find the period of sin  $\pi x$ .
- Verify that u(x, t) = v(x + ct) + w(x ct) with any twice differentiable function satisfy wave equation.
- 5. Define Fourier Transform of a non-periodic function f(x).

PART – B

Answer any eight questions. Each question carries 2 marks.

- 6. Find log<sub>10</sub> 301 using Lagrange interpolation formula if certain corresponding values of x and log<sub>10</sub>x are (300, 2.4771), (304, 2.4829), (305, 2.4843), (307, 2.4871).
- 7. If  $f(x) = 2x^2 + 3x$ , compute the entry y = f(x) for x = 1, 3, 5, 7, 9 and prepare the forward difference table.
- 8. State the backward interpolation formula.

 $(4 \times 1 = 4)$ 

K22U 0415

-2-

- Given the differential equation y" xy' y = 0 with the conditions y(0) = 1 and y'(0) = 0, use Taylor's series method to determine the value of y(0.1).
- 10. Using Euler's method, find y(0.04), if y' = -y with y(0) = 1.
- 11. Describe briefly the Picard's method of successive approximations.
- Explain the Taylor's series method for solving differential equations with initial conditions.
- 13. State Euler formulas for Fourier coefficients.
- Define even and odd functions. Prove that product of two odd functions is an even function.
- 15. Solve the PDE  $u_{xx} + 16\pi^2 u = 0$ .
- 16. Find the temperature u(x, t) in a laterally insulated copper bar 80 cm long if the initial temperature is 100 sin(πx/80)°C and the ends are kept at 0°C. For copper, density is 8.92 g/cm<sup>3</sup>, specific heat is 0.092 cal/(g°C) and thermal conductivity is 0.95 cal/(cm sec. °C).

## PART - C

Answer any four questions. Each question carries 4 marks.

17. Using Newton's divided differences interpolation find f(x) as a polynomial if

x	-1	0	3	6	7
f(x) 3		-6	39	822	1611

- 18. Explain central difference table.
- Using Newton's forward formula to compute the pressure of the steam at temperature 142° from the following steam table :

Temperature	140	150	160	170	180
Pressure	3.685	4.854	6.302	8.076	10.225

20. Explain different Runge-Kutta methods.

- -3-
- 21. Determine the value of y when x = 0.1, given that y(0) = 1 and  $y' = x^2 + y$  using Euler's method.
- 22. Find the Fourier series of the periodic function  $f(x) = x^2$ ,  $-\frac{1}{2} < x < \frac{1}{2}$ .
- 23. Find the displacement of a string stretched between two fixed points at a distance 2c apart when the string is initially at rest in equilibrium position and points of

the string are given initial velocities v where  $v = \begin{cases} \frac{x}{c}, & 0 < x < c \\ \frac{2c - x}{c}, & c < x < 2c \end{cases}$  x being

the distance measured from one end.

Answer any two questions. Each question carries 6 marks.

24. Estimate the population in 1895 and 1925 using Newton's interpolation formula from the following table :

Year : x	1891	1901	1911	1921	1931
Population : y	46	66	81	93	101

- 25. Given  $\frac{dy}{dx} = y x$  where y(0) = 2. Find y(0.1) and y(0.2) correct to four decimal places using Runge-Kutta fourth-order method.
- 26. a) Find the Fourier series expansion of the periodic function  $f(x) = e^x$ ,  $-\pi < x < \pi$  of period  $2\pi$ .

b) Show that 
$$\int_0^\infty \frac{1 - \cos \pi w}{w} \sin x w dw = \begin{cases} \frac{1}{2} \pi & \text{if } 0 << x < \pi \\ 0 & \text{if } x >> \pi \end{cases}$$

27. Prove that  $u_{xx} + u_{yy} = \frac{\partial^2 u}{\partial r^2} + \frac{1\partial u}{r\partial r} + \frac{1}{r^2} \frac{\partial^2 u}{\partial \theta^2}$  in polar co-ordinates. (2×6=12)

$$(4 \times 4 = 16)$$