# 0114666

K19U2489

Reg. No. : .....

Name : .....

# III Semester B.Sc. Degree (CBCSS-Reg./Supple./Imp.) Examination, November - 2019 (2014 Admission Onwards) COMPLEMENTARY COURSE IN STATISTICS FOR MATHS/ COMPUTER SCIENCE CORE 3C 03 STA: STANDARD PROBABILITY DISTRIBUTIONS

Time : 3 Hours

### PART - A

Max. Marks: 40

Answer All questions. Each question carries 1 mark. (6×1=6)

- 1. Define Moment generating function of a random variable X.
- **2.** Show that E(cX+dY) = cE(X) + dE(Y).
- 3. Show that for the geometric distribution P(x+1) = qP(x).
- 4. If X is N(5,3) find the distribution Y=2X+5.
- 5. Define Beta distribution of the first kind with parameters p and q.
- 6. State central limit theorem for iid random variables.

#### PART - B

Answer any Six questions. Each question carries 2 marks. (6×2=12)

- State and prove the addition theorem of expectation of a sum of stochastic variables.
- 8. Write down the relation between raw moments and central moments.
- 9. Let X and Y have the joint p.d.f.,  $f(xy) = \frac{x+2y}{18}$ , x = 1,2, y = 1,2. Find E(X) and E(Y).

P.T.O.

K19U 2489

(2)

## 

- Five unbiased dice are tossed. Find the probability that at most two of them will show six.
- 11. Write down the important properties of the normal distribution.
- 12. State and prove the additive property of Gamma Distribution.
- 13. Explain the lack of memory property of exponential distribution.
- 14. State the Bernoulli law of large numbers.

#### PART - C

Answer any Four questions. Each question carries 3 marks. (4x3=12)

15. Define characteristic function. State its properties.

**16.** Show that V(X) = E[V(X / Y)] + V[E(X / Y)].

- 17. A Poisson variate is such that P(X=1)=2P(X=2). Find P(X=0).
- 18. The mean yield for one acre plot is 662 kilos with a s.d .32 kilos. Assuming normal distribution, how many one- acre plots in a batch of 1000 plots would you expect to have yield a) over 700 kilos b) below 650 kilos.
- Find the Arithmetic mean and Harmonic mean of a Beta distribution of the first kind.
- 20. Examine whether the weak law of large numbers holds for the sequence X<sub>k</sub> of independent random variables defined as

 $P(X_k = \pm 2^k) = 2^{-(2k+1)}, P(X_k = 0) = -2^{-2k}.$ 

### PART - D

Answer any Two questions. Each question carries 5 marks. (2×5=10)

Let X and Y are two random variables with joint p.d.f. f(x,y)=2; 0<x<y<1.</li>
Find the correlation between X and Y.

- 22. Show that under certain limiting conditions Binomial distribution tends to Poisson distribution.
- 23. Derive the mean deviation about mean of the normal distribution.
- 24. State and prove Tehebycheff's inequality.