# 

K19U 0125

Reg. No. : .....

Name : .....

# VI Semester B.Sc. Degree (CBCSS – Reg./Supple./Improv.) Examination, April 2019 (2014 Admission Onwards) CORE COURSE IN MATHEMATICS 6B13MAT : Mathematical Analysis and Topology

Time : 3 Hours

Max. Marks: 48

#### SECTION - A

All the first 4 questions are compulsory. They carry 1 mark each.

- 1. Define the Riemann sum of a function  $f : [a, b] \to \mathbb{R}$  corresponding to a tagged partition  $\dot{P} = \left\{ \left( \left[ x_i 1, x_i \right], t_i \right) \right\}_{i=1}^n$ .
- 2. Find the radius of convergence of  $\sum \frac{x''}{n}$ .
- 3. State True or False: The subspace (0, 1] of ℝ with usual metric is a complete metric space.
- Suppose that T is the discrete topology on X = {a, b, c, d} and A = {b, c}. Then find Int(A).

SECTION - B

Answer any 8 questions from among the questions 5 to 14. These questions carry 2 marks each.

- 5. If  $f \in R[a, b]$  and  $|f(x)| \le M$  for all  $x \in [a, b]$ , then show that  $\left|\int_a^b f\right| \le M(b-a)$ .
- 6. Show that Thomae's function,  $f: [0, 1] \rightarrow \mathbb{R}$  given below is Riemann integrable over [0, 1].

$$f(x) = \begin{cases} 0, \text{ when } x \text{ is irrational} \\ 1, \text{ when } x = 0 \\ \frac{1}{n}, \text{ when } x = \frac{m}{n} \text{ is rational and is in the lowest form .} \end{cases}$$

P.T.O.

### 

## K19U 0125

- Prove that if f and g belong to R[a, b], then the product fg belongs to R[a, b].
- 8. Test the uniform convergence of the sequence of functions,  $f_n(x) = \frac{x}{n}$ ,  $n \in \mathbb{N}$  on [0, 1].
- Prove that if a sequence of continuous functions (f<sub>n</sub>) defined on A ⊆ R converges uniformly on A to a function f, then f is continuous on A.
- 10. Show that in a metric space each open sphere is an open set.
- 11. Describe the Cantor set and show that it is closed in  $\mathbb{R}$ .
- 12. Prove that if a convergent sequence in a metric space has infinitely many distinct points, then its limit is a limit point of the set of terms of the sequence.
- Prove that in the class of all topological spaces the relation, ~ defined by X ~ Y iff X and Y are homeomorphic is an equivalence relation.
- 14. Is the union of two topologies on a set a topology ? Justify.

# SECTION - C

Answer **any 4** questions from among the questions **15** to **20**. These questions carry **4** marks **each**.

- 15. Show that if  $f : [a, b] \rightarrow \mathbb{R}$  is monotone on [a, b], then  $f \in R [a, b]$ .
- 16. Using the substitution theorem evaluate  $\int_{1}^{4} \frac{\sin \sqrt{t}}{\sqrt{t}} dt$ .
- 17. State and prove Cauchy criterion for uniform convergence.
- 18. Show that in a metric space X any finite intersection of open subsets of X is open in X. Give an example to show that in a metric space, a countable intersection of open sets need not be open.
- 19. Define the closure of a set in a metric space, give an example and show that closure of a set A is the smallest closed set containing A.
- Let f: X → Y be a mapping of one topological space into another. Show that f is continuous if and only if f<sup>-1</sup> (F) is closed in X whenever F is closed in Y.

-3-

K19U 0125

#### SECTION - D

Answer **any 2** questions from among the questions **21** to **24**. These questions carry **6** marks **each**.

- 21. Prove that if f, g : [a, b]  $\rightarrow \mathbb{R}$  are Riemann integrable on [a, b], then f + g is also integrable on [a, b].
- 22. If  $f_n : [a, b] \to \mathbb{R}$  are Riemann integrable over [a, b] for every  $n \in \mathbb{N}$  and  $\sum f_n$  converges to f uniformly on [a, b], then show that f is Riemann integrable and  $\int_a^b f = \sum_{n=1}^{\infty} \int_a^b f_n$ .
- 23. If {A<sub>n</sub>} is a sequence of nowhere dense subsets in a complete metric space X, then prove that there exists a point in X which is not in any of the A'<sub>n</sub>s.
- 24. Let X be a non-empty set and C be a class of subsets of X which is closed under the formation of arbitrary intersections and finite unions. Prove that there exists a topology on X such that the class of all closed subsets of the space X coincides with C.