## 

# K18P 1432

Reg. No. : .....

Name : .....

## First Semester M.Sc. Degree (Reg./Suppl./Imp.) Examination, October 2018 (2017 Admn. Onwards) MATHEMATICS MAT1C04 : Basic Topology

Time : 3 Hours

Max. Marks : 80

### PART - A

Answer any four questions. Each question carries 4 marks.

- Let X be an infinite set and let T = {U ∈ P(X) : U = Ø or X U is finite}. Prove that T is a topology on X.
- Prove that the lower limit topology on R is strictly finer than the usual topology on R.
- Show by an example that separability is not a hereditary property.
- 4. For each  $n \in \mathbb{N}$ , let  $X_n = \{1, 2\}$  and let  $T_n$  be the discrete topology on  $X_n$ .

Let  $X = \prod_{n \in \mathbb{N}} X_n$ . Let T be the product topology on X and U be the box topology on X. Show that T  $\neq$  U.

- 5. Prove that the closed interval I = [0, 1] has the fixed point property.
- Show that the subspace of the real line (with usual topology) consisting of the rational numbers is a totally disconnected space. (4×4=16)

P.T.O.

#### PART - B

-2-

Answer any four questions without omitting any Unit. Each question carries 16 marks.

#### Unit – I

- 7. a) Give an example of a set X and topologies  $T_1$  and  $T_2$  on X such that  $T_1 \cup T_2$  is not a topology on X.
  - b) Let X be a set and let ζ be a collection of subsets of X such that X = U{S : S ∈ ζ}. Prove that there is a unique topology T on X such that ζ is a subbasis for T.
  - c) Let X = {1, 2, 3, 4, 5},  $\zeta$  = {{1}, {1, 2, 3}, {2, 3, 4}, {3, 5}}. Find the topology generated by  $\zeta$ .
- a) With respect to the countable complement topology on a set X, prove that a proper subset of X is closed if and only if it is a countable set.
  - b) Let A and B subsets of a topological space (X, T). Prove that
    - i)  $\overline{A} = A \cup A'$
    - ii) A is closed if and only if  $A = \overline{A}$ .
    - iii)  $\overline{A \cup B} = \overline{A} \cup \overline{B}$ .
- 9. a) Prove that every complete metric space is of first category.
  - b) Define a topological property and prove that metrizability is a topological property.

#### Unit – II

- 10. a) Let  $(A, T_A)$  be a subspace of a topological space (X, T). Prove that a subset C of A is closed in  $(A, T_A)$  if and only if there is a closed subset D of (X, T) such that  $C = A \cap D$ .
  - b) Prove that every subspace of a separable metric space is separable.
  - . c) State the pasting lemma.

- 11. a) Let  $\{(X_{\alpha}, T_{\alpha}) : \alpha \in \Lambda\}$  be an indexed family of topological spaces. Prove that the product topology is the weakest topology on  $\prod_{\alpha \in \Lambda} X_{\alpha}$  for which each projection map  $\pi_{\beta} : \prod_{\alpha \in \Lambda} X_{\alpha} \to X_{\beta}$  is continuous.
  - b) Let  $\{(X_{\alpha}, T_{\alpha}) : \alpha \in \Lambda\}$  be an indexed family of topological spaces and for each  $\alpha \in \Lambda$ , let  $(A_{\alpha}, T_{A\alpha})$  be a subspace of  $(X_{\alpha}, T_{\alpha})$ . Prove that the product topology on  $\prod_{\alpha \in \Lambda} A_{\alpha}$  is the same as the subspace topology on  $\prod_{\alpha \in \Lambda} A_{\alpha}$  determined by the product topology on  $\prod_{\alpha \in \Lambda} X_{\alpha}$ .
- 12. a) Define weak topology. If U is the usual topology on ℝ, describe the weak topology T on ℝ induced by the family that consists only of the function i : ℝ → (ℝ, U).
  - b) Let  $(X_{\alpha}, T_{\alpha})$  be an indexed family of topological spaces and let  $X = \prod_{\alpha \in \Lambda} X_{\alpha}$ . Prove that (X, T) is second countable if and only if  $(X_{\alpha}, T_{\alpha})$  is second countable for all  $\alpha \in \Lambda$  and  $T_{\alpha}$  is the trivial topology for all but a countable number of  $\alpha$ .

#### Unit – III

- a) Prove that a topological space (X, T) is connected if and only if it can be expressed as the union of two non-empty sets that are separated in X.
  - b) If T is the usual topology on  $\mathbb{R}$ , then prove that ( $\mathbb{R}$ , T) is connected.
  - c) Prove that the fixed point property is a topological invariant.
- 14. a) Prove that the topologist's sine curve is not pathwise connected.
  - b) Define a locally pathwise connected space. If (X, T) is a connected, locally pathwise connected space, then prove that (X, T) is pathwise connected.
- 15. a) Define a locally connected space. Prove that a topological space (X, T) is locally connected if and only if each component of each open set is open.
  - b) Let  $\{(X_{\alpha}, T_{\alpha}) : \alpha \in \Lambda\}$  be a collection of topological spaces and T be the product topology on  $X = \prod_{\alpha \in \Lambda} X_{\alpha}$ . If for each  $\alpha \in \Lambda$ ,  $(X_{\alpha}, T_{\alpha})$  is locally connected and for all but a finite number of  $\alpha \in \Lambda$ ,  $(X_{\alpha}, T_{\alpha})$  is connected, then prove that (X, T) is locally connected. (4×16=64)